

The following Request for Quotation is a Sealed Bid and is due by Bid Opening: May 12, 2015 at 11:30 a.m.

All submitted **bid prices are to be valid through 6/30/2015**, in case the purchase approval and/or issuance of purchase orders is delayed due to funding reasons.

Bidder is required to complete bid form including: Vendor Name, Payment Terms, F.O.B. (Quote delivered price F.O.B. Oak Ridge or notate ESTIMATED freight charges), Delivery Date (delivery dates may be a factor in the award process), Ship Via and Signature.

Any additions, deletions, or variations from the attached specifications must be noted. If quoting an Equal or Substitute, provide complete product description and specifications, including manufacturer, model number, etc. and provide necessary back-up literature if applicable.

The City of Oak Ridge reserves the right to reject all or any part of any quotation submitted.

Bid Submittal Instructions

Each bid must be submitted in a sealed envelope, show request number and bid date on front of the envelope and marked and addressed as follows:

From:	Bidder's Name Bidder's Address	
To:	<u>In Person or By Overnight Delivery</u>	<u>Regular Mail</u>
	Attn: Lyn Majeski Finance Department City of Oak Ridge 100 Woodbury Lane Oak Ridge, TN 37830	Attn: Lyn Majeski Finance Department City of Oak Ridge P.O. Box 1 Oak Ridge, TN 37831-0001

If the bid is submitted by mail rather than hand-delivery, the sealed envelope containing the bid must be enclosed in another envelope addressed as stated above. Bids submitted by mail should indicate on the outside envelope, lower left corner, the following: "Sealed bid for PW Equipment RFQ # _____ to be opened May 12, 2015 at 11:30 a.m., local time" to ensure it is delivered to the appropriate person at the City in a timely fashion. Late bids are not accepted and will not be opened.

Vendor Name: _____
Payment Terms: _____
F.O.B.: _____
Delivery Date: _____
Ship Via: _____
Signature: _____

SHIP City of Oak Ridge - Materials Management
TO 100 Woodbury Lane / P.O. Box 1
Oak Ridge, TN 37830
(865) 425-1819 FAX (865) 482-8475
Lyn Majeski lmajeski@oakridgetn.gov

Ordered - 04/21/15 Freight - Default - Handling Code
Requested - 05/12/15 Taken By -
Delivery -

Description / Supplier Item	UM	Unit Cost	Extension
4WD 1-TON DUMP TRUCK PER THE	1	EA	EA

ATTACHED SPECIFICATIONS

ACCEPTABLE MODELS INCLUDE FORD F450 AND DODGE 4500

COR INFORMATION ONLY: REPLACEMENT FOR EQUIPMENT #305

Total Order

CITY OF OAK RIDGE, TENNESSEE
MINIMUM SPECIFICATIONS FOR NEW
1-TON 4WD DUMP TRUCK
RFQ #: 143555

Listed below are the **minimum specifications** for a new 1-ton, 4WD, dump truck that is the manufacturer's latest design and production, complete, services, ready for work, and includes all standard equipment. **Acceptable models include Ford F450 and Dodge 4500.**

It is the intent of the City of Oak Ridge to choose the best truck based on truck specifications and price. Please submit with your quote a copy of the vehicle shipper information for the truck you are bidding. This information is vital to the City's evaluation process. Please contact Mike Miller, Street and Fleet Manager, at memiller@oakridgetn.gov or (865) 425-1815, with any questions concerning the truck specifications.

1. CAB & CHASSIS: Super Duty Cab & Chassis 4 X 4
2. GVWR: All standard equipment of the manufacturer and required GVWR of 16,500 or regular chassis 4 X 4
3. WHEEL BASE: 161", with CA of 84"
4. AXLES: Front (suspension) minimum 5,000 lbs capacity
Rear (suspension) minimum 11,000 lbs capacity
5. SPRINGS: Front and Rear to meet GVWR
6. ENGINE: 6.2 Liter Gasoline V-8
7. TRANSMISSION: 4 Speed automatic overdrive
8. TIRES: Tubeless, truck type, radial to meet GVWR
Front: Two (2) LT 235/85R16 All Season Tread (225/70R19.5 for GM)
Rear: Four (4) LT 235/85R16 On/Off Road, Mud & Snow Tread (225/70R19.5 for GM)
9. WHEELS: 10 Hole disk 16 X 6 K dual rear
10. BRAKES: Power, disk front, rear drum with anti-lock
11. BATTERY: 12 Volt minimum 630 CCA, maintenance free
12. ALTERNATOR: 95 AMP minimum
13. STEERING: Power
14. MIRRORS: Exterior, left and right side, swing away West Coast Style
15. COLOR: Standard White
16. FRONT BUMPER: Standard Steel
17. TOW HOOKS: Front: Factory Installed, attached to truck frame
Rear: Heavy duty, attached to truck frame
18. SHOCKS: Heavy duty, factory installed
19. SWAY BAR: Front heavy duty, factory installed
20. RADIO: AM/FM push button, factory installed
21. SEAT: Heavy duty bench with vinyl, breathable upholstery
22. SEAT BELTS: Three sets front seat, right and left sets with shoulder straps
23. AIR CONDITIONING: Factory installed
24. HEATER: Heavy duty with defroster
25. ALL WINDOWS: Tinted glass
26. WIPERS: Windshield with washer and 2 speed control minimum
27. FUEL TANK: 30-Gallon minimum, with filler pipe(s) located for ease of filling
28. WINTERIZED: Vehicle to be fully winterized
29. SERVICED: Pre-delivery servicing according to manufacturer's standard requirements
30. WARRANTY: Vehicle warranty to begin the date vehicle is delivered to the owner (City of Oak Ridge) and put into service, not to exceed six (6) months from date delivered to vendor
31. CONDITION: All items are to be installed and functioning when vehicle is delivered to owner

CITY OF OAK RIDGE, TENNESSEE
Request #143029, continued

32. DUMP BODY: Galion F1524-9 package dump and backpac #80155 or approved equal. Mounted on chassis, 3 TO 4 cu.yd. bed, approximately 8 ½' long, 93" wide, 12" deep sides, 18" deep each end, with cab shield mounted to extend over on half of cab and attached to front of dump body, to be painted black with rust preventive primer and undercoat applied before painting. Furnish complete detailed specifications including brand name of dump body with bed.
33. HOIST: Super duty body lift package, 5 Ton capacity with transmission PTO driven hydraulic pump. Lift cylinder and equipment must be serviceable with easily removable pins, hydraulic cylinder, and associated parts. Hydraulic oil tank shall be located for ease of serviceability. Furnish complete detailed specifications and brand name of hoist with your bid.
34. TOOL BOXES: **One (1) lockable 27" long by 93" wide by 18" deep tool box** with one top opening lie mounted between cab and dump body with rust preventive primer and corrosion preventive undercoat applied before finish painting. Box to have heavy duty weather gasket under lid. Furnish complete detailed specifications and brand name of tool box with bid.
Two (2) lockable 60" long by 18" wide by 18" deep under body tool boxes mounted one each side of chassis to extend from rear of cab to front of rear wheels with one side opening door on each box. Door to have chains on each end to hold door in a flat horizontal position when open. Boxes to have rust preventive primer and corrosion preventive undercoat applied before finish painting. Boxes to have heavy duty weather gasket under lid. Furnish complete detailed specifications and brand name of tool boxes with your bid.
35. WARRANTY: Vendor to state warranty on dump, pump, hoist, and tool boxes. Warranty to start at time of the vehicle being put into service by the owner.
36. TOWING: Trailer hitch mounted to vehicle frame with 12,500 lbs capacity. Class IV receiver type hitch and 2" ball.
37. MUD FLAPS: Heavy duty flaps installed behind each rear wheel with spring type mounting bracket.
38. LIGHTING: Installed on dump body in accordance with federal and state standards.
39. BACKUP: Outside alarm on vehicle that sounds when vehicle is in reverse.
40. KEYS: Two sets of keys to all vehicle doors, ignition and tool boxes, with all key numbers furnished on the invoice.
41. MANUALS: Two sets of owners, operators, service, maintenance and repair manuals furnished with the vehicle for truck, dump body and accessories.
42. PM: Vendor's recommended preventive maintenance schedule for truck, dump body and all accessories are to be included with your bid.